

TEKIPPE ENGINEERING, P.C.

Engineers – Land Surveyors

www.tekippe.com

1919 210TH STREET
PO BOX 357
MANCHESTER, IA 52057
PHONE 563-927-2060
FAX 563-927-3603

128 S. VINE STREET
WEST UNION, IA 52175
PHONE 563-422-5131
FAX 563-422-5884

375 COLLINS RD NE
SUITE 105
CEDAR RAPIDS, IA 52402
PHONE 319-294-6909
FAX 319-294-5133

**ADDENDUM NUMBER 1
TO
PLANS AND SPECIFICATIONS FOR
BURRINGTON ROAD SANITARY SEWER
MANCHESTER, IOWA
Project No. 08659.MS**

A. SOIL BORING INFORMATION


The following soils information was collected on July 26, 2004. Bores are measured from existing ground surface and collection stopped at a depth of 25' or auger refusal, whichever was first. Bore locations are indicated on the Plans.

Bore Hole #1 – Sta 2+20.2, 2.4' Lt
0'-5': Top Soil
5'-17': Brown Clay (wetter at 9')
17'-24': Sandy Clay (wet)
24'-25': Bluish Clay (wet)

Bore Hole #2 – Sta 7+02.4, 34.3' Lt
0'-17': Sand
17'-25': Clayey Sand (wet)

B. ADDENDUM ACKNOWLEDGEMENT

Bidders are reminded to acknowledge this addendum in Part B on the first page of the Form of Proposal.

	<p>I hereby certify that this engineering document was prepared by me or under my direct personal supervision and that I am a duly licensed Professional Engineer under the laws of the State of Iowa.</p> <hr/> <p>Nathan P. Kass, P.E. Date License Number 18659 My license renewal date is December 31, 2011. Pages covered by this seal: All Sheets</p>
---	--